

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	4	(multi-cast\$5 multicast\$5).clm. and ( ( ("how many") number total sum count) near9 (deliver\$4 recipient receiv\$3 target destination) ).clm. and ( (process\$5 respons\$5 acknowled\$5 \$2ack wait expected ) near5 time).clm. and ( (ujyo\$5 suzuki\$5).inv. fujitsu\$5.as.)	US-PGPUB; USPAT	OR	ON	2007/09/24 15:10

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	435	(multi-cast\$5 multicast\$5).clm. and ( ( ("how many") number total sum count) adj4 (deliver\$4 recipient receiv\$3 target destination) ).clm.	US-PGPUB; USPAT	OR	ON	2007/09/24 14:40
L3	5	(multi-cast\$5 multicast\$5).clm. and ( ( ("how many") number total sum count) adj4 (deliver\$4 recipient receiv\$3 target destination) ).clm. and ( (process\$5 respons\$5 acknowledged\$5 \$2ack) adj time). clm.	US-PGPUB; USPAT	OR	ON	2007/09/24 14:41
L4	38	(multi-cast\$5 multicast\$5).clm. and ( ( ("how many") number total sum count) adj4 (deliver\$4 recipient receiv\$3 target destination) ).clm. and ( (process\$5 respons\$5 acknowledged\$5 \$2ack) near5 time). clm.	US-PGPUB; USPAT	OR	ON	2007/09/24 14:47
L5	3	(multi-cast\$5 multicast\$5).clm. and ( ( ("how many") number total sum count) adj4 (deliver\$4 recipient receiv\$3 target destination) ).clm. and ( (process\$5 respons\$5 acknowledged\$5 \$2ack wait expected ) near5 time).clm. not l4	US-PGPUB; USPAT	OR	ON	2007/09/24 14:49
L6	67	(multi-cast\$5 multicast\$5).clm. and ( ( ("how many") number total sum count) near9 (deliver\$4 recipient receiv\$3 target destination) ).clm. and ( (process\$5 respons\$5 acknowledged\$5 \$2ack wait expected ) near5 time).clm. not (l3 l4 l5)	US-PGPUB; USPAT	OR	ON	2007/09/24 14:51
L7	4	(multi-cast\$5 multicast\$5).clm. and ( ( ("how many") number total sum count) near9 (deliver\$4 recipient receiv\$3 target destination) ).clm. and ( (process\$5 respons\$5 acknowledged\$5 \$2ack wait expected ) near5 time).clm. not (l3 l4 l5) and ( (each all every ) adj3 (deliver\$4 recipient receiv\$3 target destination) ).clm.	US-PGPUB; USPAT	OR	ON	2007/09/24 14:52

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3432	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5) and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) )	US-PGPUB; USPAT	OR	ON	2007/08/29 15:30
S2	24	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5) and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) ) and (estimat\$5 near9 response)	US-PGPUB; USPAT	OR	ON	2007/09/24 09:15
S3	41	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5) and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) ) and (estimat\$5 near9 (rtt response) )	US-PGPUB; USPAT	OR	ON	2007/09/24 09:16
S4	7	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) ) and (estimat\$5 near9 (rtt response) )	US-PGPUB; USPAT	OR	ON	2007/08/29 15:38
S5	2	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) ) and (estimat\$5 near9 (delivery) )	US-PGPUB; USPAT	OR	ON	2007/08/29 15:38
S6	2	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) ) and ( ( estimat\$5 simulat\$5 ) near9 (delivery) )	US-PGPUB; USPAT	OR	ON	2007/08/29 15:40

## EAST Search History

S7	6	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) ) and ( ( estimat\$5 simulat\$5 calculat\$5 approximat\$5 forecast\$3 guess\$3 assess\$5 compute analyze calibrat\$5 evaluat\$5 adjust\$5 ) near9 (delivery) ) )	US-PGPUB; USPAT	OR	ON	2007/08/30 08:25
S8	29	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) ) and ( ( estimat\$5 simulat\$5 calculat\$5 approximat\$5 forecast\$3 guess\$3 assess\$5 compute analyze calibrat\$5 evaluat\$5 adjust\$5 psuedo\$5) near9 (deliver\$5 writ\$5 database) )	US-PGPUB; USPAT	OR	ON	2007/08/30 08:37
S9	27	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( estimat\$5 simulat\$5 calculat\$5 approximat\$5 forecast\$3 guess\$3 assess\$5 compute analyze calibrat\$5 evaluat\$5 adjust\$5 psuedo\$5) near9 (deliver\$5 writ\$5 database) ) not S8	US-PGPUB; USPAT	OR	ON	2007/08/30 08:38
S10	227	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5) and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) ) and ( ( estimat\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception ) near3 time ) )	US-PGPUB; USPAT	OR	ON	2007/09/24 09:17
S11	26	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number ) adj4 (recipient receiv\$3 target destination) ) and ( ( estimat\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception ) near3 time ) )	US-PGPUB; USPAT	OR	ON	2007/09/24 09:38

## EAST Search History

S12	2	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( "how many") number total sum count) adj4 (recipient receiv\$3 target destination) ) and ( (estim\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception ) near3 time ) ) not S11	US-PGPUB; USPAT	OR	ON	2007/09/24 09:39
S13	1	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5) and ( ( ("how many") number total sum count) adj4 (recipient receiv\$3 target destination) ).ab. and ( (estim\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception ) near3 time ) ) not (S11 S12)	US-PGPUB; USPAT	OR	ON	2007/09/24 09:40
S14	94	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5) and ( ( ("how many") number total sum count) adj4 (recipient receiv\$3 target destination) ) and ( (estim\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception wait\$3 ) near3 (time interval period) ) ) not (S11 S12) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/09/24 10:06
S15	2	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5) and ( ( ("how many") number total sum count) adj4 (recipient receiv\$3 target destination) ) and ( (estim\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception wait\$3 window) near3 (time interval period) ) ) not (S11 S12 S14) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/09/24 10:08

## EAST Search History

S16	170	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5) and ( ( ("how many") number total sum count) adj4 (recipient receiv\$3 target destination) ) and ( ( estimat\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception wait\$3 window) near3 (time interval period) ) ) not (S11 S12 S14) and "370".clas.	US-PGPUB; USPAT	OR	ON	2007/09/24 10:08
S17	8	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number total sum count) adj4 (recipient receiv\$3 target destination) ) and ( ( estimat\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception wait\$3 window) near3 (time interval period) ) ) not (S11 S12 S14) and "370".clas.	US-PGPUB; USPAT	OR	ON	2007/09/24 10:49
S18	0	(@ad<"20001218" @rlad<"20001218") and (multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number total sum count) adj4 (recipient receiv\$3 target destination) ).ab. and ( ( estimat\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception wait\$3 window) near3 (time interval period) ) ).ab. not (S11 S12 S14)	US-PGPUB; USPAT	OR	ON	2007/09/24 10:50
S19	0	(multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number total sum count) adj4 (recipient receiv\$3 target destination) ).ab. and ( ( estimat\$5 calculat\$5 determin\$5) near9 ( (rtt response delivery received reception wait\$3 window) near3 (time interval period) ) ).ab. not (S11 S12 S14)	US-PGPUB; USPAT	OR	ON	2007/09/24 10:50
S20	12	(multi-cast\$5 multicast\$5).ab. and ( ( ("how many") number total sum count) adj4 (recipient receiv\$3 target destination) ) and ( ( trial test pseudo\$5 ) near9 ( (rtt response delivery received reception wait\$3 window loop) near3 (time interval period) ) )	US-PGPUB; USPAT	OR	ON	2007/09/24 12:46